













Reference Guide





All printed examples of colours are approximations of the original colours and are subject to fluctuations due to the printing process. To determine the exact colour or choice of colours, please request an original 3M colour swatch or individual colour samples of your preferred colours.





3M™ Scotchcal™ Translucent Graphic Film Series 3630

Product Features

- . Suitable for interior and exterior applications
- Typical applications

Illuminated advertising, illuminated strips, filling stations, shopwindows and restaurants. Wherever you wish to advertise, whether by day or by night. Colour fastness and dimensional stability ensure reliability, and the brilliance of the films ensures a high level of attention.

Suitable application surfaces and substrates

3M[™] Scotchcal[™] Translucent Graphic Film in Series 3630 is excellently suited for application to glass and acrylic surfaces and will also ensure perfect presentation of your brand on 3M[™] Flexible Substrates.

· Graphic durability

Up to 10 years*

Colour range

57 luminous standard colours provide extensive design freedom. The option of requesting your individual special colours means that the special requirements of your corporate image can also be fulfilled. The range is completed by version IJ3630-20 and IJ 3630 LED-20, which enable digital printing.

• Application temperature range, wet-bonded

from +16°C

*See relevant technical bulletin for full details. Further information and samples on request.

Product Data

• Suitable graphic production processes

easyly cut, thanks to polyester protective paper

All colours with Pantone references are a simulation of a PANTONE®-identified colour standard.

Evaluation illuminant: D6500K a viewed in the Pantone® Viewing light. Consult current PANTONE Colour Publications for accurate colour. PANTONE® is the property of Pantone, Inc., ©Pantone, Inc., 2010

3M Distributor

